

## Frame Paspoort: Kanzo Fast



### 1. General info

|                                     |             |
|-------------------------------------|-------------|
| Brand                               | RIDLEY      |
| Model                               | Kanzo Fast  |
| First intro (modelyear?)            | 2020        |
| Description (intended use of frame) | Gravel,Road |

### 2. Material

|                |                     |
|----------------|---------------------|
| Frame material | 30T HM/HR UD Carbon |
| Max. weight    | 110 kg              |

### 3. Weight

| Frame       | gr.  |
|-------------|------|
| XS          | 1150 |
| S           | 1170 |
| M           | 1190 |
| L           | 1210 |
| XL          | 1250 |
| Weight fork | 490  |

### 4. Cableparts

#### Cableparts Mecanical shifting 1X only

| Article code | Description                                     | Quantity | Position on frame |
|--------------|---|----------|-------------------|
| FRPGROJAG010 | Jagwire Mechanical Cable grommet flat top - 4mm | 1        | Rear drop out     |
| CABFOAJAG001 | Jagwire NBR Foam Tube 5,5mm inner/8,2mm outer   | 0,4m     | Down tube         |
| CABFOAJAG001 | Jagwire NBR Foam Tube 5,5mm inner/8,2mm outer   | 0,4m     | Down tube         |
| SPADSS4ZA001 | 4ZA D-Shaped steerer supportive spacer 7E2      | 1        | Fork              |

#### Cableparts Di2 1X only

| Article code | Description                                   | Quantity | Position on frame |
|--------------|---|----------|-------------------|
| FRPGRORID007 | Rear dropout plug - 2,5 mm                    | 1        | Rear drop out     |
| CABFOAJAG001 | Jagwire NBR Foam Tube 5,5mm inner/8,2mm outer | 0,4m     | Down tube         |
| CABFOAJAG001 | Jagwire NBR Foam Tube 5,5mm inner/8,2mm outer | 0,4m     | Down tube         |
| SPTDI24ZA001 | 4ZA Di2 Int Bat Adap 27,2 SEP                 | 1        | Seatpost          |
| SPADSS4ZA001 | 4ZA D-Shaped steerer supportive spacer 7E2    | 1        | Fork              |

#### Cableparts EPS: not compatible

| Article code | Description | Quantity | Position on frame |
|--------------|-------------|----------|-------------------|
|--------------|-------------|----------|-------------------|

#### Cableparts ETAP

| Article code | Description                                   | Quantity | Position on frame |
|--------------|---|----------|-------------------|
| FRPGROJAG002 | Jagwire plug flat top - Closed                | 1        | Rear drop out     |
| CABFOAJAG001 | Jagwire NBR Foam Tube 5,5mm inner/8,2mm outer | 0,4m     | Down tube         |
| CABFOAJAG001 | Jagwire NBR Foam Tube 5,5mm inner/8,2mm outer | 0,4m     | Down tube         |
| SPADSS4ZA001 | 4ZA D-Shaped steerer supportive spacer 7E2    | 1        | Fork              |

|                            |                              |
|----------------------------|------------------------------|
| <b>Fork</b>                |                              |
| Material                   | Carbon                       |
| Fork legs                  | Carbon                       |
| Steerer                    | Carbon                       |
| <b>Dimensions</b>          |                              |
| Steerer tube length        | 300mm                        |
| Bearings                   | Upper: 11/8"<br>Lower: 11/4" |
| Rake                       | 47mm                         |
| OLD (Over Lock Distance)   | 100mm                        |
| MTB suspension fork travel | NVT                          |

|                             |                                |
|-----------------------------|--------------------------------|
| <b>Headset</b>              |                                |
| Headset diameter            | Upper: 11/8"<br>Lower: 11/4"   |
| Headset type (article code) | HSERACDEE004                   |
| Headset description         | Deda HSE IN-4 Int. 1-1/8-1-1/4 |

|                                    |                           |
|------------------------------------|---------------------------|
| <b>Seatpostclamp</b>               |                           |
| Seatpost diameter                  | Kanzo Fast Aero seatpost  |
| Seatpost clamp article code        | SPCAER4ZA006              |
| Seatpost clamp article description | Seatpost clamp - Internal |

|                                       |         |
|---------------------------------------|---------|
| <b>Bottom bracket type/size</b>       |         |
| Type of bottom bracket (BSA, PF, ...) | PF BB86 |
| Width                                 | 86,5mm  |

|                               |   |
|-------------------------------|---|
| <b>Brakes</b>                 |   |
| Brakes standard (disc/rim/DM) | / |
| Mounting bolts/nut            | / |

|  |  |                         |
|--|--|-------------------------|
| <b>Derailleurs</b>                         |  |                         |
| Front derailleur type (braze/sidesw/clamp) |  | Not Applicable: 1x only |
| Front Derailleur clamp article code        |  | Not Applicable: 1x only |
| Front Derailleur clamp description         |  | Not Applicable: 1x only |
| Hanger article code                        |  | HAARCERID041            |
| Hanger description                         |  | AMP: Hanger set NFD HXD |

|                |  |              |
|----------------|--|--------------|
| <b>Fenders</b> |  |              |
| Art code       |  | MDGM50CUR001 |
| Tire width     |  | 42mm         |

## 6. Wheels and tyres


|                             |  |              |
|-----------------------------|--|--------------|
| <b>Frame</b>                |  |              |
| Wheel dimension             |  | 700c         |
| Build in width              |  | 142mm        |
| Wheel axl diameter          |  | 12mm         |
| Thru Axl Frame article code |  | QRET124ZA039 |
| Length                      |  | 164mm        |
| Pitch                       |  | 1,5mm        |

|                            |  |              |
|----------------------------|--|--------------|
| <b>Fork</b>                |  |              |
| Wheel dimension            |  | 700c         |
| Build in width             |  | 100mm        |
| Wheel axl diameter         |  | 12mm         |
| Thru Axl Fork article code |  | QRET124ZA038 |
| Length                     |  | 120mm        |
| Pitch                      |  | 1,5mm        |

|                   |  |      |
|-------------------|--|------|
| <b>Tires</b>      |  |      |
| Maximum tyre size |  | 42mm |

## 6. Geometry

|    | A   | B   | C   | C' | D   | E    | F    | G   | H  | I    | J   | S   | R   |
|----|-----|-----|-----|----|-----|------|------|-----|----|------|-----|-----|-----|
| XS | 760 | 470 | 522 |    | 115 | 74,5 | 71   | 425 | 74 | 1001 | 868 | 537 | 373 |
| S  | 785 | 495 | 547 |    | 144 | 73,5 | 71   | 425 | 72 | 1017 | 894 | 563 | 380 |
| M  | 810 | 520 | 565 |    | 168 | 73   | 71,5 | 425 | 72 | 1026 | 919 | 587 | 385 |
| L  | 835 | 545 | 587 |    | 197 | 72,5 | 71,5 | 425 | 70 | 1044 | 944 | 613 | 393 |
| XL | 860 | 570 | 601 |    | 221 | 72,5 | 72   | 425 | 70 | 1053 | 969 | 638 | 400 |



Geometry G1 handlebar

Handlebar sizing: 100-400

100 = stem length (mm)

400 = CC distance top (mm)

